

# 报价单

客户：中国科学院分子植物科学卓越创新中心  
联系人：练老师

地址：上海永傲精密仪器有限公司

电话：18516772093

姓名：李威

## OFFER SHEET

### 倒置显微成像系统

### Nikon Ti2 倒置荧光显微系统

CODE NO.	DESCRIPTION	Q'TY	price (\$)
	<b>复眼照明主机套</b>		
MEA53200	Inverted Microscope Eclipse Ti2Main Body (100-240V) equipped with:left/right side ports,intermediate magnification changer 1.5X,coaxial coarse/fine focus w/tension adjustment on coarsecoaxial coarse/fine focus w/tension adjustment on coarse and focus stop on coarse,laser safety interlock signal output,Light-distribution:100 Eyepiece, 100 Left, 100 Right (*), and Auxiliary position (*)	1	
	主机机架		
MXA22062	VINYL COVER TYPE 108	1	
	防尘罩		
MEE59905	TI-DH DIA-ILLUMINATOR 100W	1	
	照明支柱		
MBE75225	D-LH/LC Precentered Lamphouse	1	
	灯箱		
MXA20434	HALOGEN LAMP 12V-100W-LL	1	
	灯泡		
MEF52251	TI-PS100W/A Power Supply 100-240V/A	1	
	供电箱		
MEF51001	TI-100WRC 100W LAMPHOUSE REMOTE CABLE	1	
	灯箱电缆		
MBF11300	POWER CORD TYPE BE, 220/240V	1	
	电源线		
MEB52320	TI-TD EYEPIECE TUBE D	1	
	观察筒		
MEB55800	TI-T-B EYEPIECE TUBE BASE UNIT	1	
	观察筒底座		
MAK10100	CFI 10X EYEPI.LENS	2	
	10倍目镜		
MEL51000	TI-C SYSTEM CONDENSER TURRET	1	
	聚光镜转盘		
MXA20660	DUMMY CAP FOR SYSTEM CONDENSER	3	
	聚光镜防尘帽		

MEL56200	TI-C-LWD LWD LENS UNIT FOR SYSTEM CONDENSER TURRET	1
聚光镜		
MEH41100	TE-C LWD PH-1 MODULE	1
相差模块		
MEH41200	TE-C LWD PH-2 MODULE	1
相差模块		
MEC51100	TI-SR RECTANGULAR STAGE	1
载物台		
MEP51315	TI-N6 Sextuple Nosepiece	1
6孔物镜转盘		
MBN11710	FILTER, 45MM, NCB11	1
蓝色滤色镜		
MBN11500	FILTER, 45MM, HEAT ABSORBING	1
吸热片		
MBN11200	FILTER, 45MM, GIF	1
绿色滤光片		
MBN21802	FILTER, 45MM, ND2 A	1
灰度片		
MEV51005	TI-FLC EPI-FL FILTER TURRET	1
荧光滤色镜转盘		
MEE54100	TI-FL EPI-FL ATTACHMENT	1
荧光照明支柱		
MBF72655	HG PRENCENTERED FIBER ILLUMINATOR INTENSILIGHT C-HGFI	1
长效光源照明器		
MBF72315	C-HGFIA HG100W ADAPTER	1
灯箱接口		
MBF71610	C-HGFIF15 HG FIBER	1
荧光光纤		
MBF11300	POWER CORD TYPE BE, 220/240V	1
电源线		
MBF74650	C-LHGFI HG LAMP	1
长效荧光灯泡		
MBE41305	C-FL-C DAPI Filter Cube Excitation Filter EX361-389 Dichroic Mirror DM415 Barrier Filter BA430-490	1
紫外滤色镜		
MBE44725	C-FL-C FITC Filter Cube Excitation Filter EX465-495 Dichroic Mirror DM505 Barrier Filter BA512-558	1
蓝色滤色镜		
MBE45605	C-FL-C TRITC Filter Cube Excitation Filter EX537-552 Dichroic Mirror DM565 Barrier Filter BA582-637	1
红色滤色镜		
MRP00042	CFI Achromat Flat field 4X	1
平场4倍物镜		
MRH20101	CFI PLAN FLUOR DL 10XA	1

10倍平场荧光相差物镜		
MRH48230	OBJECTIVE LENS CFI SUPER PLAN FLUOR ELWD ADM 20XC	1
20倍超级平场荧光相差物镜		
MRH48430	OBJECTIVE LENS CFI SUPER PLAN FLUOR ELWD ADM 40XC	1
40倍超级平场荧光相差物镜		
MRH00101	CFI PLAN FLUOR 10XA	1
10倍平场荧光物镜		
MQF52055	AC ADAPTER 2/CN	1
相机稳压电源		
MXK38508	L-shaped USB3.0 Cable	1
数据线		
MQD43020	DS-F2.5 F-Mount Adapter 2.5x for DS Series*	1
接口		
MQS31000	NIS-Elements Br	1
全自动控制及分析软件系统		
MED53140	TI-BDTV2 F-TV Tube for F-Mount Adapter	1
镜筒		

Documentation software, Measurement acquisition  
DELL 台式电脑 (i7处理器/8G内存/1T硬盘/1G独显/21寸以上显示器)

**备注:**

- 1、付款方式: 100%T/T IN ADVANCE
- 2、交货期: 收到货款后5-6个月
- 3、此报价有效期为30天
- 4、发货港/到货港: 日本东京/中国上海
- 5、除光源外整机质保1年;

CIP 上海总报价: ¥1,055,000.00



**QUOTE TO**

单位: 中国科学院分子植物科学卓越创新中心  
 联系人: 练恒老师  
 邮箱:

**FROM**


联系人: 苏莉婷  
 电话: +86 18516286353

**电动倒置荧光显微镜**

No.	Part Number	Description	Qty	Price
1	<b>电动倒置显微镜IX83</b>			
	IX83P2ZF	IX83 2port frame with ZDC port. Touch-panel controller JR6436, AC adapter DP152500, allen wrench AB7734, hexagonal driver AD8458 (2pcs), transparent sheet for front panel JA8053(2pcs), and indication sticker for U-MCZ JA9973 are included. 全电动倒置显微镜IX83	1	
	IX3-FP	IX3-FP. Frame fixing plate for IX83P2ZF/P1ZF, IX73P2F/P1F. For 25mm, 50mm, 1inch, and 2 inches pitch. Foot spacer AD9177(4pcs) is included. 主机固定装置	1	
	U-MCZ	Remote control unit for BX63 Corresponded to RoHS and WEEE regulations 粗微调遥控调焦装置	1	
	IX3-CBH	Control box for IX83P2ZF/P1ZF and motorized components. cable band AC9258 is included. 全电动控制器	1	
	U-IFCBL200	Interface cable for CAN communication, 2000mm length Corresponded to RoHS and WEEE regulations 连接线	1	
	U-IFCBL100	U-IFCBF100 100cm CAN cable for IX83 system. 电动部件数据线, 长度1m	1	
	U-IFCBL15	Interface cable for CAN communication, 150mm length Corresponded to RoHS and WEEE regulations 电动部件数据线, 长度15cm	1	
	WHN10X	Widefield eyepiece 10X 10倍目镜	1	
	WHN10X-H	Widefield eyepiece 10X 宽视场10X目镜, 屈光度可调	1	
	U-TBI90	Tilting binocular 摇摆式观察筒	1	
	IX3-RFACA	Motorized fluorescent mirror turret for IX83P2ZF/P1ZF, IX73P2F/P1F. 8 position for mirror unit. Turret rotation, shutter open/close can be controlled through touch pannel or software. 电动8孔荧光激发块转盘	1	
	U-LGPS	Solid-state light source composed of 4 LEDs and 1 LDP (LD pumped Phosphor) which works like a white light light source similar to U-HGLGPS. 超长寿命LED荧光光源, 预对中 (免调校)	1	
	U-LLG150	Liquid light guide 1.5M for U-HGLGPS. Made in Germany. 1.5米光纤导管	1	
	U-LLGAD	Microscope adapter for liquid light guide. 光纤导入显微镜端适配器	1	



IX3-RFALFE	IX3-RFALFE L-shape fluorescence illuminator with flyeye lens. Even illumination in the field by flyeye. Field stop is equipped. 1 slot for neutral density filter. Illuminator is designed and optimized for upper deck for IX83P2ZF/IX73P1F, and IX83P1F/IX73P1F. L型荧光复眼照明系统	1
U-FUNA	Mirror Unit for fluorescence microscopy, narrow band UV excitation with bandpass barrier, exciter filter BP360-370, dichroic beamsplitter DM410, barrier filter BA420-460, including plastic case AR1924 紫外荧光滤色镜	1
U-FBNA	Mirror unit for fluorescence microscopy, narrow band Blue excitation (with bandpass barrier), with exciter filter BP470-495, dichroic beamsplitter DM505 and barrier filter BA510-550, including plastic case AR1924 绿色窄带荧光滤色镜	1
U-FGWA	Mirror unit for fluorescence microscopy, wide band green excitation (with bandpass barrier), with exciter filter BP530-550, dichroic beamsplitter DM570 and barrier filter BA575-625, including plastic case AR1924 Corresponded to RoHS regulation 红色荧光滤色镜	1
IX3-FDICT	IX3-FDICT Polarized filter block for transmitted DIC. It can be attached on fluorescence turret for IX3 series. 微分干涉检偏镜	1
UPLXAPO4X	U Plan XApochromat objective 4X/0.16, WD 13mm, Corrected wavelength400-1000nm. 4X 万能超平场超级复消色差物镜, NAO.16, 工作距离13mm, 色差校准范围400-1000nm。	1
UPLXAPO10X	U Plan XApochromat objective 10X/0.4, WD 3.1mm, Coverglass thickness 0.17mm, Corrected wavelength400-1000nm. ZDC supported. 10X 万能超平场超级复消色差物镜, NAO.4, 工作距离3.1mm, 色差校准范围400-1000nm。	1
UPLXAPO20X	U Plan XApochromat objective 20X/0.8, WD 0.6mm, Coverglass thickness 0.17mm, Spring, Corrected wavelength400-1000nm.ZDC supported. 20X 万能超平场超级复消色差物镜, NAO.8, 工作距离0.6mm, 色差校准范围400-1000nm。	1
UCPLFLN20X	UIS2 objectives for cell culture, live cell, iPS cell, stem cell, etc. Suitable for typical inverted microscope application having high NA and wide observation area. Correction collar. NAO.7, WD 0.8-1.8. coverslip thickness 0-1.6 (optimized for glass slip). DIC is applicable (IX-DIC20). 20X高分辨率长工作距离平场半复消色差物镜, NA 0.7, 工作距离0.8-1.8mm	1
UPLXAPO40X	U Plan XApochromat objective 40X/0.95, WD 0.18mm, Coverglass thickness 0.11-0.23mm, Spring, Corrected wavelength400-1000nm.ZDC supported. 40X 万能超平场超级复消色差物镜, NAO.95, 工作距离0.18mm, 校正环, 色差校准范围400-1000nm。	1
UPLXAPO40XO	U Plan XApochromat objective 40X/1.4, WD 0.13mm (Spring, oil), Coverglass thickness 0.17mm, Corrected wavelength400-1000nm. BFP1. ZDC supported. 40X 万能超平场超级复消色差油浸物镜, NA1.4, 工作距离0.13mm, 色差校准范围400-1000nm。	1
IX3-ILL	IX3-ILL transmitted pillar for IX83P2ZF/P1ZF, IX73P2F/P1F, IX53F. Front operation knob for condenser focus, focus stopper for reproduce position. Halogen and LED light source can be mounted. 100W照明支柱	1
IX3-LHLEDC	IX3-LHLEDC Transmitted LED light souce with housing. Good color rendering similar to Halogen color. For IX3- ILL. Power supply is necessary for IX73 system. 长寿命LED照明装置	1



IX3-LWUCDA	IX3-LWUCDA Motorized LWD condenser for IX83P2ZF/P1ZF, IX73P2F/P1F. 7 position optical elements (3x30mm, 4x38mm). Turret rotation, aperture stop open/close, polarizer in/out can be controlled through touch panel or software. Allen wrench AW2848(2pcs) and indication plate JA7707 are included. 全自动7孔聚光镜	1
U-IFCBL100	U-IFCBF100 100cm CAN cable for IX83 system. This cable is suitable for connection to IX3-LWUCDA on IX83P2ZF/P1ZF. This cable is suitable for connection between U-CBF and IX3-CBH as well. 连接线	1
U-DICTS	DIC prism slider for transmitted light, with shift mechanism for BFP1 objective 微分干涉滑块	1
IX2-DIC10	DIC prism insert for 10X objectives 10倍微分干涉滑块	1
IX2-DIC20	DIC prism insert for 20X objectives 20倍微分干涉滑块	1
IX2-DIC40	DIC prism insert for 40X objectives 40倍微分干涉滑块	1
FV31-AVP	Anti vibration plate for FV3000 or IXplore Spin with microscope. 1500mmX1000mm(local) 气垫式防震平台	1
UPS	Uninterruptible Power Supply online 30 minutes 在线式不间断电源	1
Ring-LED	Ring LED illumination device with trigger function 环形LED照明装置, 带触发功能	1
IX3-ZDC2	Z drift compensator device for IX83P2ZF/P1ZF. 第5代Z轴防漂移补偿系统	1

优惠后免税人民币价格 ¥990,000.00

Quotation Expired by 2024/10/20

价格条件: 以上为免税人民币价格 CIF CHINA AIRPORT

交货期: 收到货款后4个月内

保修期: 显微镜整机保修一年(耗材除外)

付款方式: 100% T/T in Advance



香港福莱得科技有限公司	HONGKONG FULLYTEC TECHNOLOGIES LIMITED
上海市 斜土路 2601 号嘉汇广场 T1 栋 13E	12/F., San Toi Building, 139 Connaught Road Central, Hong Kong
电话: 021-56033108	TEL: (00852) 8131 3707
传真: 021-53933108×808	FAX: (00852) 2139 3217

## QUOTATION

From: 香港福莱得科技有限公司 杨金霞 手机:13761917131 E-mail: jinxia1975@hotmail.com

TO: 中国科学院分子植物科学卓越创新中心 练恒老师

Description	Material No.	Quantity	Price
<b>Axio Imager.A1</b>			
<b>Configuration Standard Material</b>			
Microscope stand Axio Imager.A1	431030-9010-000	1	
Axio Imager.A1			
Binocular tube 45°/23	425523-9000-000	1	
双目镜筒			
Intermediate phototube H=50mm, left port - Camera port with interface 60N - Slider mount with 2 clickstop positions Alternatively required: - Slider with mirror 100% - Slider with beam splitter 50%	425146-9031-000	1	
三目分光连接件			
Slider with Mirror 100% for Intermediate Phototube - 2 clickstop positions for 100vis/100doc	425146-9050-000	1	
分光镜			
Illuminator HAL for Axio Vert transmitted light	423004-9010-000	1	
透射光源			
Bulb 12V 37W Halogen for Axio Vert	000000-1879-242	2	
12V 37W 卤素灯泡			
Specimen stage 232x230 mm with hardcoat anodized surface	432037-9000-000	1	
载物台			
Object guide M 130x85 mm for Axio Vert	432333-9040-000	1	
样品夹			
Mounting frame Flex M	432333-9030-000	1	
样品夹			
Mounting frame insert Flex M, petridishes	432333-9050-000	1	
样品夹			
Mounting frame insert Flex M, slides and chambers	432333-9060-000	1	
样品夹			
LD condenser 0.4 for slider	424228-9020-000	1	



聚光镜

Slider 10x46 mm Ph/PlasDIC, H, Ph/PlasDIC 426717-9000-000 1

反差插板

Phase stop Ph 1/0.4 for slider 426717-9350-000 1

相差环

Phase stop Ph 2/0.4 for slider 426717-9360-000 1

相差环

Eyepiece PL 10x/23 Br. foc. 444036-9000-000 2

10 倍视场 23mm 目镜

Eyepiece eyecup 444801-0000-000 2

目镜罩

Objective LD A-Plan 10x/0.3 Ph1 M27 (WD=10mm at D=1mm polystyrene) 421241-9910-000 1  
10x 倍物镜

Objective LD A-Plan 20x/0.45 Ph2 M27 421251-9911-711 1

20 倍物镜

Objective LD A-Plan 40x/0.55 Ph1 M27 421261-9916-000 1

40X 倍物镜

Illumination adapter for light sources with light guide (D) 423302-0000-000 1

光源适配器

Axiocam 705 color 423545-0000-000 1

Z-frame 载物台适配器 LCS385 1

Filter set AT - EGFP/FITC/Cy2/AlexaFluor 488 39002 1

Filter set for mCherry/Texas Red® 39010 1

Filter set for Dapi 39000 1

---

**DPU Shanghai Airport(including packing charge)Total Price: ¥ 1.089.000.00**

Estimated delivery (客户要求交货日期): 4-5 月

Valid for (有效期): 30 Days

Payment terms(付款条件):100% T/T in advance before delivery / shipment

Shipping terms (交货条件):DPU Carriage and insurance paid

Warranty condition (保修期) :one year warranty